Printing date: March 14, 2019

Revision: March 14, 2019

1 Identification

[•] Product identifier

· Trade name: H2OLOX - Gloss

Product code: TB 2000

· Other means of identification: WATERLOX WATERBASED SEALER/FINISH

· Recommended use and restriction on use

· Recommended use: Paint / Coatings

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Waterlox Coatings Corporation 9808 Meech Avenue CLEVELAND, OH 44105 (216) 641-4877

• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

[•] Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



· Signal word: Danger

· Hazard statements:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

- H361 Suspected of damaging fertility or the unborn child.
- H372 Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.
- Precautionary statements:

P201 Obtain special instructions before use.

(Cont'd. on page 2)

Printing date: March 14, 2019 Revision: March 14, 2019 Trade name: H2OLOX - Gloss (Cont'd. of page 1) P202 Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors/spray. P260 Wash thoroughly after handling. P264 Do not eat, drink or smoke when using this product. P270 Contaminated work clothing must not be allowed out of the workplace. P272 Wear protective gloves/protective clothing/eye protection. P280 P302+P352 If on skin: Wash with plenty of soap and water. P308+P313 IF exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. P314 P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. Store locked up. P405 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

	Trade Secret Emulsifier	<10%
	🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319	1
	Trade Secret Phenolic modified resin	<10%
	1 Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1, H317]
8052-41-3	Stoddard solvent	<5%
	 Flam. Liq. 3, H226 STOT RE 1, H372; Asp. Tox. 1, H304 	
64742-47-8	Distillates (petroleum), hydrotreated light	<5%
	 Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 	
61789-51-3	Naphthenic acids, cobalt salts	<1%
	 Carc. 2, H351; Repr. 2, H361 Skin Sens. 1, H317 	
95-63-6	1,2,4-trimethylbenzene	<1%
	Flam. Liq. 3, H226	
	Asp. Tox. 1, H304 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
8050-09-7	×	<1%
0000 00 /	() Skin Sens. 1, H317	
8007-24-7	•	<1%
	🔶 Eye Dam. 1, H318	-
	Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1A, H317	
3164-85-0	Potassium 2-ethylhexanoate	<1%
	& Repr. 2, H361]
	Eye Dam. 1, H318	
	Skin Irrit. 2, H315 (Cont'd. c	

(Cont'd. of page 2)

Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Gloss

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

 Description of first aid measures After inhalation: Supply fresh air; consult doctor in case of complaints. Provide oxygen treatment if affected person has difficulty breathing. In case of irregular breathing or respiratory arrest provide artificial respiration. In case of unconsciousness place patient stably in side position for transportation. After skin contact: Immediately remove any clothing soiled by the product. If skin irritation is experienced, consult a doctor. After swallowing: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting: immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache
 Indication of any immediate medical attention and special treatment needed: Contains Trade Secret Phenolic modified resin, Cashew Nutshell Oil, Naphthenic acids, cobalt salts, Rosin. May produce an allergic reaction. Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Fire-fighting measures

[•] Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

For safety reasons unsuitable extinguishing agents: None.

· Special hazards arising from the substance or mixture

(Cont'd. on page 4)

(Cont'd. of page 3)

Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Gloss

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Particular danger of slipping on leaked/spilled product.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up

Towel or mop up material and collect in a suitable container. For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard. Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Keep out of reach of children.

Open and handle receptacle with care.

• Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

· Components with limit values that require monitoring at the workplace:

(Cont'd. on page 5)

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Gloss

	(Cont'd. of pa	age 4)	
	Stoddard solvent		
PEL (USA)	Long-term value: 2900 mg/m³, 500 ppm		
REL (USA)	Long-term value: 350 mg/m³ Ceiling limit value: 1800* mg/m³		
	1*15-min		
TLV (USA)	Long-term value: 525 mg/m ³ , 100 ppm		
EL (Canada			
l `	Long-term value: 290 mg/m ³		
EV (Canada	a) Long-term value: 525 mg/m ³		
	ico) Long-term value: 100 ppm		
64742-47-8	Distillates (petroleum), hydrotreated light		
EL (Canada			
	Skin		
	4-trimethylbenzene		
REL (USA)	Long-term value: 125 mg/m ³ , 25 ppm		
TLV (USA)	Long-term value: 123 mg/m³, 25 ppm		
111-84-2 no			
REL (USA)	Long-term value: 1050 mg/m ³ , 200 ppm		
TLV (USA)	Long-term value: 1050 mg/m ³ , 200 ppm		
EL (Canada			
EV (Canada			
	LMPE (Mexico) Long-term value: 200 ppm		
	8050-09-7 Rosin		
TLV (USA)	DSEN, RSEN, L		
EL (Canada			
LMPE (Mexi	LMPE (Mexico) SEN, (L)		
-	· Ingredients with biological limit values:		
	100-41-4 ethylbenzene		
	0.7 g/g creatinine		
	Medium: urine Time: end of shift at end of workweek		
	Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative)		
	- Medium: and exheled air		
	Medium: end-exhaled air Time: not critical		
	Parameter: Ethyl benzene (semi-quantitative)		
· Exposure			
	otective and hygienic measures: recautionary measures for handling chemicals should be followed.		
	Keep away from foodstuffs, beverages and feed.		
Immediately	Immediately remove all soiled and contaminated clothing.		
Wash hands before breaks and at the end of work.			
Do not inhale gases / fumes / aerosols. (Cont'd. on page			
		· 3- •/	

Revision: March 14, 2019

Trade name: H2OLOX - Gloss

Printing date: March 14, 2019

(Cont'd. of page 5)

Avoid contact with the eyes and skin.

· Engineering controls: No relevant information available.

· Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • **Eye protection:**



Safety glasses

· Body protection: Protective work clothing

- Limitation and supervision of exposure into the environment No relevant information available.
- · Risk management measures No relevant information available.

Information on basic physical a	and chemical properties
Appearance:	
Form:	Liquid
Color:	Milky white/brown
Odor:	None
Odor threshold:	Not determined.
pH-value:	Not determined.
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	150 - 199 °C (302-390.2 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Oxidizing properties:	Non-oxidizing.
Vapor pressure:	Not determined.

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Gloss

		(Cont'd. of page
Density:		
Relative density:	0.987	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Soluble.	
Partition coefficient (n-octano	I/water): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
VOC content:	170 g/L	
Other information	No relevant information available.	

10 Stability and reactivity

• **Reactivity:** No relevant information available.

- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point. Reacts with strong oxidizing agents.

• Conditions to avoid Excessive heat.

· Incompatible materials Oxidizers

· Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

Hydrocarbons

11 Toxicological information

[·] Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

64742-47-8 Distillates (petroleum), hydrotreated light

Oral LD50 >5000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

Primary irritant effect:

· On the skin: Irritant to skin and mucous membranes.

• On the eye: Slight irritant effect on eyes.

· Sensitization: Sensitization possible through skin contact.

· Carcinogenic categories

(Cont'd. on page 8)

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Gloss

100-41-4	Ethylbenzene	2
	Cumene	2
91-20-3	Naphthalene	2
	Naphthenic acids, cobalt salts	2
· NTP (Natio	nal Toxicology Program):	
98-82-8 Cu	mene	ł
91-20-3 Na	phthalene	1
· OSHA-Ca (Occupational Safety & Health Administration):	
None of the	ingredients are listed.	
· Probable ro	oute(s) of exposure:	
Ingestion.		
Eye contact Skin contact		
	ι. nutagenicity: Based on available data, the classification criteria are not met.	
	nicity: Suspected of causing cancer.	
	ve toxicity: Suspected of damaging fertility or the unborn child.	
	le exposure: Based on available data, the classification criteria are not met.	
	ated exposure:	
Causes da exposure: Ir	mage to the central nervous system through prolonged or repeated exposure nhalation.	e. Route
	hazard: Based on available data, the classification criteria are not met.	

12 Ecological information

[·] Toxicity

- · Aquatic toxicity Harmful to aquatic life with long lasting effects.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- [•] Additional ecological information
- General notes: Avoid release to the environment.
- · Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

(Cont'd. on page 9)

(Cont'd. of page 8)

Safety Data Sheet Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Gloss

· Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
UN proper shipping name		
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR/RID/ADN, IMDG, IATA		
Class	Not regulated.	
Packing group		
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
Environmental hazards		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I	l of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) SARA 		
· Section 302 (extremely hazardous substances):		
None of the ingredients are listed.		
· Section 355 (extremely hazardous substances):		
None of the ingredients are listed.		
· Section 313 (Specific toxic chemical listings):		
None of the ingredients are listed.		
· TSCA (Toxic Substances Control Act)		
All ingredients are listed or exempt.		
 Proposition 65 (California) Chemicals known to cause cancer: Present in trace quantities. 		
100-41-4 Ethylbenzene		
98-82-8 Cumene		
91-20-3 Naphthalene		
(Cont'd. on page 10)		

(Cont'd. of page 9)

Π

2B

2B

2B

2B

Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Gloss

· Chemicals known to cause	developmental toxicity for females:

Present in trace quantities.

80-05-7 bisphenol A

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

• EPA (Environmental Protection Agency):

95-63-6 1,2,4-trimethylbenzene

· IARC (International Agency for Research on Cancer):

61789-51-3 Naphthenic acids, cobalt salts 100-41-4 Ethylbenzene

98-82-8 Cumene

91-20-3 Naphthalene

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision March 14, 2019 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI: Biological Exposure Limit** Flam. Lig. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Carc. 2: Carcinogenicity – Category 2 Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Asp. Tox. 1: Aspiration hazard - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

(Cont'd. on page 11)

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Gloss

(Cont'd. of page 10)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com