Printing date: March 14, 2019

Revision: March 14, 2019

1 Identification

Product identifier

· Trade name: H2OLOX - Matte

Product code: TB 2002

· Other means of identification: WATERLOX WATERBASED SEALER/FINISH

· Recommended use and restriction on use

· Recommended use: Paint / Coatings

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Waterlox Coatings Corporation 9808 Meech Avenue CLEVELAND, OH 44105 (216) 641-4877

• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

[•] Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

[·] Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



· Signal word: Danger

· Hazard statements:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

· Precautionary statements:

P201 Obtain special instructions before use.

(Cont'd. on page 2)

Revision: March 14, 2019

Trade name: H2OLOX - Matte

Printing date: March 14, 2019

		(Cont'd. of page
P202	Do not handle until all safety precautions have been read and understood.	
P260	Do not breathe mist/vapors/spray.	
P264	Wash thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P272	Contaminated work clothing must not be allowed out of the workplace.	
P280	Wear protective gloves/protective clothing/eye protection.	
P302+P3	352 If on skin: Wash with plenty of soap and water.	
P308+P3	313 IF exposed or concerned: Get medical advice/attention.	
P314	Get medical advice/attention if you feel unwell.	
P333+P3	313 If skin irritation or rash occurs: Get medical advice/attention.	
P362+P3	364 Take off contaminated clothing and wash it before reuse.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/nation	onal/internation
	regulations.	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

	Trade Secret Emulsifier	<10
	🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
	Trade Secret Phenolic modified resin	<10
	1 Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1, H317	
8052-41-3	Stoddard solvent	<5%
	🚸 Flam. Liq. 3, H226	
	🔹 STOT RĖ 1, H372; Asp. Tox. 1, H304	
64742-47-8	Distillates (petroleum), hydrotreated light	<5%
	Flam. Liq. 3, H226	
	Asp. Tox. 1, H304	
	5TOT SE 3, H336	
61789-51-3	Naphthenic acids, cobalt salts	_ <1%
	Carc. 2, H351; Repr. 2, H361	
	Skin Sens. 1, H317	
95-63-6	1,2,4-trimethylbenzene	<19
	 Flam. Liq. 3, H226 Asp. Tox. 1, H304 	
	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
8050-09-7	·	<19
6050-09-7	🚯 Skin Sens. 1, H317	- ~17
9007 24 7	Cashew Nutshell Oil	<19
0007-24-7	Eye Dam. 1, H318	- ~17
	Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1A, H317	
3164-85-0	Potassium 2-ethylhexanoate	<19
51005-0	& Repr. 2, H361	`''
	Eye Dam. 1, H318	
	Skin Irrit. 2, H315	

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Matte

(Cont'd.	of	page	2)

Pho	osphoric acid, mixed esters with partially fluorinated alcohol, ammonium salts	<1%
	Acute Tox. 1, H330 STOT SE 1, H370	
Par	tially fluorinated alcohol substituted glycol	<1%
	STOT RE 2, H373	

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

• After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

Most important symptoms and effects, both acute and delayed:

Headache

Breathing difficulty

Coughing

Allergic reactions

Causes skin irritation.

Slight irritant effect on eyes.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Danger:

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation.

· Indication of any immediate medical attention and special treatment needed:

Contains Trade Secret Phenolic modified resin, Cashew Nutshell Oil, Naphthenic acids, cobalt salts, Rosin. May produce an allergic reaction.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

5 Fire-fighting measures

(Cont'd. on page 4)

Safety Data Sheet

Acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Matte

(Cont'd. of page 3)

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

• Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Particular danger of slipping on leaked/spilled product.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up

Towel or mop up material and collect in a suitable container.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Use only in well ventilated areas. Avoid contact with the eyes and skin. Keep out of reach of children. Open and handle receptacle with care.

• Conditions for safe storage, including any incompatibilities • Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents.
- Specific end use(s) No relevant information available.

Printing date: March 14, 2019

Γ

Revision: March 14, 2019

Trade name: H2OLOX - Matte

(Cont'd. of page 4)

	meters
•	vith limit values that require monitoring at the workplace:
8052-41-3 Stoc	
PEL (USA)	Long-term value: 2900 mg/m ³ , 500 ppm
REL (USA) Long-term value: 350 mg/m ³ Ceiling limit value: 1800* mg/m ³ *15-min	
TLV (USA)	Long-term value: 525 mg/m³, 100 ppm
EL (Canada)	Short-term value: 580 mg/m ³ Long-term value: 290 mg/m ³
EV (Canada)	Long-term value: 525 mg/m ³
LMPE (Mexico)	Long-term value: 100 ppm
64742-47-8 Dis	tillates (petroleum), hydrotreated light
EL (Canada)	Long-term value: 200 mg/m³ Skin
	rimethylbenzene
REL (USA)	Long-term value: 125 mg/m³, 25 ppm
TLV (USA)	Long-term value: 123 mg/m³, 25 ppm
111-84-2 nona	
REL (USA)	Long-term value: 1050 mg/m³, 200 ppm
TLV (USA)	Long-term value: 1050 mg/m³, 200 ppm
EL (Canada)	Long-term value: 200 ppm
EV (Canada)	Long-term value: 1,050 mg/m ³ , 200 ppm
· ,	Long-term value: 200 ppm
8050-09-7 Ros	
TLV (USA)	DSEN, RSEN, L
EL (Canada)	S(D), S(R)
LMPE (Mexico)	
-	th biological limit values:
100-41-4 ethyll	
Tim	g/g creatinine dium: urine e: end of shift at end of workweek ameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative)
Tim	dium: end-exhaled air e: not critical ameter: Ethyl benzene (semi-quantitative)

Revision: March 14, 2019

Printing date: March 14, 2019 Trade name: H2OLOX - Matte (Cont'd. of page 5) The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. · Engineering controls: No relevant information available. · Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Eye protection: Safety glasses · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment No relevant information available. **Risk management measures** No relevant information available. 9 Physical and chemical properties Information on basic physical and chemical properties · Appearance: Form: Liquid Milky white/brown Color: · Odor: None

· Odor threshold:	Not determined.
 pH-value: Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined. 150 - 199 °C (302-390.2 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
· Explosion limits	
	(Cont'd. on page 7)

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Matte

		(Cont'd. of page
Lower:	Not determined.	
Upper:	Not determined.	
 Oxidizing properties: 	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	0.987	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Soluble.	
· Partition coefficient (n-octanol/wa	ater): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· VOC content:	170 g/L	
[·] Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidizing agents.

· Conditions to avoid Excessive heat.

· Incompatible materials Oxidizers

- [•] Hazardous decomposition products
- Under fire conditions only:

Carbon monoxide and carbon dioxide

Hydrocarbons

11 Toxicological information

[·] Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

64742-47-8 Distillates (petroleum), hydrotreated light

Oral LD50 >5000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

· Primary irritant effect:

· On the skin: Irritant to skin and mucous membranes.

(Cont'd. on page 8)

Printing date: March 14, 2019 Revision: March 14, 2019 Trade name: H2OLOX - Matte (Cont'd. of page 7) · On the eye: Slight irritant effect on eyes. · Sensitization: Sensitization possible through skin contact. · Carcinogenic categories · IARC (International Agency for Research on Cancer): 100-41-4 Ethylbenzene 2B 98-82-8 Cumene 2B 91-20-3 Naphthalene 2B 61789-51-3 Naphthenic acids, cobalt salts 2B NTP (National Toxicology Program): 98-82-8 Cumene R 91-20-3 Naphthalene R OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients are listed. • Probable route(s) of exposure: Ingestion. Eve contact. Skin contact. • Germ cell mutagenicity: Based on available data, the classification criteria are not met. · Carcinogenicity: Suspected of causing cancer. · Reproductive toxicity: Suspected of damaging fertility or the unborn child. • STOT-single exposure: Based on available data, the classification criteria are not met. · STOT-repeated exposure: Causes damage to the central nervous system through prolonged or repeated exposure. Route of exposure: Inhalation. · Aspiration hazard: Based on available data, the classification criteria are not met. **12 Ecological information** [·] Toxicity

· Aquatic toxicity

Harmful to aquatic life with long lasting effects.

Phosphoric acid, mixed esters with partially fluorinated alcohol, ammonium salts

LC50 >117 mg/l (Oncorhynchus mykiss)

EC50 >22.6 mg/l (daphnia)

Partially fluorinated alcohol substituted glycol

LC50 36.7 mg/l (Oncorhynchus mykiss)

EC50 28.8 mg/l (daphnia)

· Persistence and degradability No relevant information available.

- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.

· Additional ecological information

· General notes: Avoid release to the environment.

· Other adverse effects No relevant information available.

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Matte

(Cont'd. of page 8)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

UN-Number	
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
UN proper shipping name DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
Transport hazard class(es)	
DOT, ADR/RID/ADN, IMDG, IATA	
Class	Not regulated.
Packing group	
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
United States (USA)
SARA
Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

(Cont'd. on page 10)

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Matte

		(Cont'd. of page 9)
None of the	ingredients are listed.	
· TSCA (Toxi	c Substances Control Act)	
All ingredien	its are listed or exempt.	
· Propositior	n 65 (California)	
	known to cause cancer:	
Present in tr	ace quantities.	
100-41-4 E	thylbenzene	
98-82-8 C	umene	
91-20-3 N	aphthalene	
· Chemicals	known to cause developmental toxicity for females:	
	ace quantities.	
80-05-7 bis	phenol A	
	known to cause developmental toxicity for males:	-
None of the	ingredients are listed.	
	known to cause developmental toxicity:	
None of the	ingredients are listed.	
	onmental Protection Agency):	
95-63-6 1,2	,4-trimethylbenzene	
•	national Agency for Research on Cancer):	
61789-51-3	Naphthenic acids, cobalt salts	2B
100-41-4	Ethylbenzene	2B
98-82-8	Cumene	2B
91-20-3	Naphthalene	2B

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision March 14, 2019 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** BEI: Biological Exposure Limit Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 1: Acute toxicity - Category 1 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Cont'd. on page 11)

Printing date: March 14, 2019

Revision: March 14, 2019

Trade name: H2OLOX - Matte

(Cont'd. of page 10) Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Carc. 2: Carcinogenicity – Category 2 Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com